

## **SCHWEGO<sup>®</sup>** mat 8448 - 8450

## Blanket and roller washing solutions for web offset

Function:	<b>SCHWEGO<sup>®</sup> mat 8448 – 8450</b> are special washing agents on mineral oil basis for cleaning blankets, ink rollers, spindles and similar devices. They are also excellently suitable for use with automatic blanket washers in coldset printing as well as spindle and ink fountain washers or similar by their convincing cleaning effect and material compatibility.
	<b>SCHWEGO<sup>®</sup> mat 8448 – 8450</b> are three variations which will differ only concerning their flash point (see chapter flash point).
Properties:	<ul> <li>Very good flow off behavior of the cleaning sludge with automatic blanket washers</li> <li>Very good cleaning effect on blankets and ink rollers</li> <li>Can be mixed with water</li> <li>Effective protection from corrosion</li> <li>Suitable for all blanket washers in coldset printing with separate water supply</li> <li>Can also be used in ink fountain washing units,</li> <li>Spindle cleaning devices or similar</li> <li>Can be filtered, distilled and recycled</li> </ul>
Flash point:	SCHWEGO <sup>®</sup> mat 8448         abt. 63°C           SCHWEGO <sup>®</sup> mat 8449         abt. 81°C           SCHWEGO <sup>®</sup> mat 8450         > 100°C VOC-free
	The flash point is the lowest temperature at which inflammable
	vapours which might inflame by spark ignition will develop from a
	liquid under determined conditions. The lower the flash point, the
	faster the applied washing solution will evaporate
Tip:	Certified by BG ETEM as "low emission product"
	The washing solutions <b>SCHWEGO<sup>®</sup> mat 8449/8450</b> are checked and released according to the default settings of the leading machine builders.
	Subject to appropriate storage, the described properties of <b>SCHWEGO<sup>®</sup> mat 8448 - 8450</b> remain stable for at least 24 months.
Packaging:	20   canister / 200   drum / 600   / 1000   container
	The above information is based on our current knowledge and experience. No binding assurance in respect of certain properties or suitability for certain applications must be read into our information. Patent rights and other proprietary rights must be observed if necessary. Further safety instructions please learn from our material safety data sheet. 05/2019

Bernd Schwegmann GmbH & Co. KG · Wernher-von-Braun-Str. 14 · 53501 Grafschaft-Gelsdorf · Germany Tel.: +49 (0) 2225 9226-0 · Fax +49 (0) 2225 9226-33 · E-Mail: info@SchwegmannNet.de · www.SchwegmannNet.de